

Portable Units

CounterFire can provide portable units for mounting on deck to meet FiFi requirements. These units comprise of a diesel engine coupled to a pump mounted either in a container or on a covered fabricated skid. Fire monitors can be mounted on these units or piped elsewhere on the vessel.

Where a suction lift is an issue we can provide submersed hydraulic pumps to lift the water to deck level.

The capacity range of these units are 300-2400m³/hr.



Marine Division of
Stang Industries Inc

Please Contact Us



CounterFire Ltd.

Restdale House,
Suite 15,
32-33 Foregate Street,
Worcester.
WR1 1EE
UK

Tel No. 44 (0) 1905 729911
rlucas@counterfirefifi.com

www.CounterFireFiFi.com

Represented Around The World Please
Visit The Website To Find Your Local Agent

PARIKH POWER PVT LTD

18, 2nd Floor, R3 Mall, Opp. Manav Mandir,
Memnagar, Ahmedabad - 380052.

Mob.: +91 9657722666


Tel: +91 79 2749 5550

Email: enquiry@parikhpower.in

Web.: www.parikhpower.in



CounterFire Ltd




For More Information Please Visit:
www.CounterFireFiFi.com



Marine Division of Stang Industries Inc


Fire Monitor Range

CounterFire can provide fire monitors that deliver a capacity range of 90 m³/hr to 3600 m³/hr. The monitors can be provided with either single, dual or on certain sizes fog-jet outlets. The dual and fogjet outlets allow the monitor to deliver inducted foam concentrate.



Water Spray Systems



CounterFire's engineers will design a water spray system to meet all classification societies requirements. The water spray system is installed to protect the vessel from radiant heat of a fire. Each system is custom designed to suit specific vessels ensuring maximum coverage. CounterFire has a wide range of spray nozzles to ensure the right amount of water will be delivered where it is needed.



Control systems are available to be custom designed to suit the vessel requirements.

Fire Pump Range

CounterFire has an extensive range of centrifugal pumps designed specifically for Marine Fire Fighting Service. Our End suction pumps have capacities up to 3000m³/hr and heads up to 180m, these can be driven by dedicated engines, Or close coupled to one of our Gearboxes or Clutches. Alternatively, we have Axially split centrifugal pumps with capacities up to 4500m³/hr and heads up to 250m. Many materials are available to be compatible with sea water.



For More Information Please Visit:
www.CounterFireFiFi.com



For More Information Please Visit:
www.CounterFireFiFi.com